



Mobile phone jammer

**MGT- P3**

GSM 900



**MAGNUM TELECOM**  
 1, rue du Lavoir  
 38590 St Etienne de St Geoirs  
 France

Tél : + 33 476 31 34 92  
 GSM : + 33 607 69 11 86  
[info@magnumtelecom.com](mailto:info@magnumtelecom.com)

**APPLICATIONS**

*Continuous mobile phone jamming*

- Trucks
- Buses
- Cranes
- vehicles

**SPECIFICATIONS**

- Output power 150 mWatts
- Range diameter up to 10 meters
- Power supply 12 or 24 volts
- 1 frequency band (GSM 900)

Internal antenna

Continuous jamming  
 Does not interfere with other radio communication devices (ex : DECT phones, talkie walkie)  
 Power supply 12 or 24v  
 Small dimensions

**CHARACTERISTICS**

	Frequency bands jammed
GSM	925 -960 MHz
Frequency accuracy	+/-20kHz
Range	Up to10 meters
Output power	150 mWatts
Power supply	Car battery 12 or 24v

**PRODUCT INFORMATION**

Dimensions W x H x P	100 x 18 x 42 mm (aluminium)
Weight	150 g
Operating temperature	0°/ +70°C
Warranty	1 year



Mobile phone jammer

**MGT- P3R**

GSM 900  
Adjustable range



MAGNUM TELECOM  
1, rue du Lavoir  
38590 St Etienne de St Geoirs  
France

Tél : + 33 476 31 34 92  
GSM : + 33 607 69 11 86  
[info@magnumtelecom.com](mailto:info@magnumtelecom.com)

SPECIFICATIONS

- Output power 150 mWatts
- Adjustable range diameter from 1 to 10 meters
- Power supply 12 or 24 volts
- 1 frequency band (GSM 900)

APPLICATIONS

*Continuous mobile phone jamming*

Trucks

Buses

Cranes

vehicles

Internal antenna

Continuous jamming  
Does not interfere with other radio communication devices (ex : DECT phones, talkie walkie)  
Power supply 12 or 24v  
Small dimensions

CHARACTERISTICS

	Frequency bands jammed
GSM	925 -960 MHz
Frequency accuracy	+/-20kHz
Range	Up to10 meters
Output power	150 mWatts
Power supply	Car battery 12 or 24v

PRODUCT INFORMATION

Dimensions W x H x P	100 x 18 x 42 mm (aluminium)
Weight	150 g
Operating temperature	0°/ +70°C
Warranty	1 year



Mobile phone jammer

**MGT- P4**

GSM 900, DCS 1800



**MAGNUM TELECOM**  
 1, rue du Lavoir  
 38590 St Etienne de St Geoirs  
 France

Tél : + 33 476 31 34 92  
 GSM : + 33 607 69 11 86  
[info@magnumtelecom.com](mailto:info@magnumtelecom.com)

**SPECIFICATIONS**

- Output power 300 mWatts
- Range diameter up to 10 meters
- Power supply 12 or 24 volts
- 2 frequency bands (GSM 900, DCS 1800)

**APPLICATIONS**

*Continuous mobile phone jamming*

- Trucks
- Buses
- Cranes
- vehicles

Internal antennas  
 Continuous jamming  
 Does not interfere with other radio communication devices (ex : DECT phones, talkie walkie)  
 Power supply 12 or 24v  
 Small dimensions

**CHARACTERISTICS**

	Frequency bands jammed
GSM	925 -960 MHz
DCS	1805 – 1880 MHz
Frequency accuracy	+/-20kHz
Range	Up to10 meters
Output power	300 mWatts
Power supply	Car battery 12 or 24v

**PRODUCT INFORMATION**

Dimensions W x H x P	100 x 18 x 42 mm (aluminium)
Weight	150 g
Operating temperature	0°/ +70°C
Warranty	1 year



**MAGNUM TELECOM**  
 1, rue du Lavoir  
 38590 St Etienne de St Geoirs  
 France

Tél : + 33 476 31 34 92  
 GSM : + 33 607 69 11 86  
[info@magnumtelecom.com](mailto:info@magnumtelecom.com)

**APPLICATIONS**

*Continuous mobile phone jamming*

Trucks

Buses

Cranes

vehicles

Mobile phone jammer

**GSM 900, DCS 1800**  
 Adjustable range

**MGT- P4R**



**SPECIFICATIONS**

- Output power 300 mWatts
- Adjustable range diameter from 1 to 10 meters
- Power supply 12 or 24 volts
- 2 frequency bands (GSM 900, DCS 1800)

Internal antenna

Continuous jamming  
 Does not interfere with other radio communication devices (ex : DECT phones, talkie walkie)  
 Power supply 12 or 24v  
 Small dimensions

**CHARACTERISTICS**

	Frequency bands jammed
GSM	925 -960 MHz
DCS	1805 – 1880 MHz
Frequency accuracy	+/-20kHz
Range	Up to10 meters
Output power	300 mWatts
Power supply	Car battery 12 or 24v

**PRODUCT INFORMATION**

Dimensions W x H x P	100 x 18 x 42 mm (aluminium)
Weight	150 g
Operating temperature	0°/ +70°C
Warranty	1 year



**MAGNUM TELECOM**  
 1, rue du Lavoir  
 38590 St Etienne de St Geoirs  
 France

Tél : + 33 476 31 34 92  
 GSM : + 33 607 69 11 86  
[info@magnumtelecom.com](mailto:info@magnumtelecom.com)

**APPLICATIONS**

*Continuous mobile phone jamming*

Trucks

Buses

Cranes

vehicles

Mobile phone jammer

GSM 900, DCS 1800, 3G

**MGT- P5**



**SPECIFICATIONS**

- Output power 450 mWatts
- Range diameter up to 10 meters
- Power supply 12 or 24 volts
- 3 frequency bands (GSM 900, DCS 1800, 3G)

Internal antennas

Continuous jamming  
 Does not interfere with other radio communication devices (ex : DECT phones, talkie walkie)  
 Power supply 12 or 24v  
 Small dimensions

**CHARACTERISTICS**

	Frequency bands jammed
GSM	925 -960 MHz
DCS	1805 – 1880 MHz
3G	2110 – 2170 MHz
Frequency accuracy	+/-20kHz
Range	Up to10 meters
Output power	450 mWatts
Power supply	Car battery 12 or 24v

**PRODUCT INFORMATION**

Dimensions W x H x P	100 x 18 x 42 mm (aluminium)
Weight	150 g
Operating temperature	0°/ +70°C
Warranty	1 year



**MAGNUM TELECOM**  
 1, rue du Lavoir  
 38590 St Etienne de St Geoirs  
 France

Tél : + 33 476 31 34 92  
 GSM : + 33 607 69 11 86  
[info@magnumtelecom.com](mailto:info@magnumtelecom.com)

**APPLICATIONS**

*Continuous mobile phone jamming*

Trucks

Buses

Cranes

vehicles

Mobile phone jammer

GSM 900, DCS 1800, 3G

Adjustable range

**MGT- P5R**



**SPECIFICATIONS**

- Output power 450 mWatts
- Adjustable range diameter from 1 to 10 meters
- Power supply 12 or 24 volts
- 3 frequency bands (GSM 900, DCS 1800, 3G)

Internal antenna

Continuous jamming  
 Does not interfere with other radio communication devices (ex : DECT phones, talkie walkie)  
 Power supply 12 or 24v  
 Small dimensions

**CHARACTERISTICS**

	Frequency bands jammed
GSM	925 -960 MHz
DCS	1805 – 1880 MHz
3G	2110 – 2170 MHz
Frequency accuracy	+/-20kHz
Range	From 1 to10 meters
Output power	450 mWatts
Power supply	Car battery 12 or 24v

**PRODUCT INFORMATION**

Dimensions W x H x P	100 x 18 x 42 mm (aluminium)
Weight	150 g
Operating temperature	0°/ +70°C
Warranty	1 year